SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers

Organic & Wild Collection Winter Savory

Product name : (Satureja Montana) Essential Oil

Product Number : 38851/03.2018 Brand : Lule Bore

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Cosmetics chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : LULE BORE/Jorgji Fullani

Petrele, TIRANA, Albania Tel. +355 68 33 93 968

E-mail address : E-mail address : georgefullani@gmail.com

1.4 Emergency telephone number

Emergency Phone # +355 68 33 93 968

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Danger! According to the classification provided by companies to ECHA in **REACH registrations** this substance may be fatal if swallowed and enters airways, is toxic to aquatic life with long lasting effects, , causes skin irritation and may cause an allergic skin reaction.







For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

P280 Wear protective gloves /face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container according national regulations.

Supplemental Hazard

none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Savory, Satureja montana, ext. EC / List no.: 290-280-2 CAS no.: 90106-57-3

Hazardous ingredients according to Regulation (EC) No 1272/2008

Trazardous ingredients according to regulation		ation (20) NO 12/2/2000	(LO) NO 1212/2000	
Component	Cas No.	Classification	Concentration %w/w	
		H226 Flam. Liq. 3 / H304 Asp. Tox. 1 / H317		
A pinene	80-56-8	Skin Irrit. 2 / H319 Eye Irrit. 2	<=1.15	
		H226 Flam. Liq. 3 / H304 Asp. Tox. 1 / H317		
Myrcene	123-35-3	Skin Irrit. 2 / H319 Eye Irrit. 2 / H400	<=1.20	
Alpha Terpineol	98-55-5	H315 Skin Irrit. 1 / H319 Eye Irrit. 1	<=1.34	
		H226 Flam. Liq. 3 / H304 Asp. Tox. 1 / H317		
p-cymene	99-87-6	Skin Irrit. 2 / H319 Eye Irrit. 2	<=14.23	
Eucalyptol	470-82-6	H226 Flam. Liq. 3 / H317 Skin Sens. 1	<=17.52	
Gamma Terpinene	99-85-4	H226 Flam. Liq. 3 / H304 Asp. Tox. 1	<=4.50	
		, , , , , , , , , , , , , , , , , , ,		
Borneol	464-45-9	H226 Flam. Liq. 1 / H315 Skin Irrit. 1	<=4.50	
Terpineol	98-55-5	H315 Skin Irrit. 1 / H319 Eye Irrit. 1	<=1.35	
Carvacrol methyl ether	6379-73-3	none	<=2.44	
Linalol	78-70-6	H317 Skin Sens. 1B	<=5.15	
	7070	H302 Acute Tox. 4/ H314 Skin Corr. 1B	0.10	
Thymol	89-83-8	/ H411 Aguatic Chronic 2	<=16.82	
		H302 Acute Tox. 4/ H314 Skin Corr. 1B /	1010	
Carvacrol	499-75-2	H318 Eye Dam. 1/ H411 Aquatic Chronic 2	<=10.18	
		H304 Asp. Tox. 1 / H317 Skin Sens. 1B/		
B caryophyllene	87-44-5	H413 Aquatic Chronic 4	<=5.16	
		H304 Asp. Tox. 1 / H315 Skin Irrit. 1 H317	'	
Beta Bisabolene	495-61-4	Skin Sens. 1B	<=2.06	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment

needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

Recommended storage temperature 2 - 8 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour Sweet

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing Melting point/range: -98,0 °C

point

f) Initial boiling point and 64,0 - 65,0 °C at 1.013 hPa boiling range

SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

h) Evaporation rate No data available

> 65.0 °C Flash point i)

n) Water solubility completely miscible

o) Partition coefficient: noctanol/water

log Pow: -0,77

p) Auto-ignition 455,0 °C at 1.013 hPa

temperature

q) Decomposition No data available

temperature

No data available Viscosity

s) Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other safety information

> Minimum ignition energy 0,14 mJ Conductivity $< 1 \mu S/cm$

Relative vapour density 1,11

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions. Stable under recommended storage conditions.

Possibility of hazardous reactions 10.3

No data available

10.4 Conditions to avoid

Heat, flames and sparks. Heat, flames and sparks.

Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed.

Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis,

Coma, Seizures.

Symptoms may be delayed., Damage of the:, Liver, Kidney

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SAFETY DATA SHEET

According to Regulation (EC) No. 830/2015 Revision Date 12.04.2018

SECTION 14: Transport information Not classified due to high flash point >60,0 °C at 1.013 hPa

14.1 UN number

ADR/RID: 3082 IMDG: 3082 IATA: 3082

14.2 UN proper shipping name

ADR/RID: Environmentally hazardous substance, liquid, n.o.s. IMDG: Environmentally hazardous substance, liquid, n.o.s. Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: - III IMDG: III IATA: III

14.5 Environmental hazards

IMDG Marine pollutant: YES

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

H413 May cause long lasting harmful effects to aquatic life

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lule Bore shall not be held liable for any damage resulting from handling or from contact with the above product.